

UK Beetles

[Home](#) - [Blog](#) - [Families](#) - [Keys](#) - [Articles](#) - [Updates](#) - [Library](#) - [Species](#) - [Contact Us](#)

Key to the British CICINDELINAE

For more information on this subfamily click [HERE](#).

-
- | | | |
|----|---|----------------------------|
| 1. | Labrum black, with a keel along the centre. Body black, or almost so, and to some extent bronze metallic. Elytra characteristic; without a pale apical mark, and with random small fovea on the disc. | Cicindela sylvatica |
| | Labrum pale and smooth. | -2- |
-
- | | | |
|----|---|----------------------------|
| 2. | Pronotum quadrate, pro-episterna glabrous or nearly so. Elytra characteristic, with pale marks confined to the lateral margins. | Cylindera germanica |
| | Pronotum transverse, pro-episterna densely pubescent. With pale markings on the elytral disc. | -3- |
-
- | | | |
|----|--|-----------------------------|
| 3. | Bright metallic green or, rarely, blue. Elytra characteristic; generally with 5 discreet pale marks. Labial palps dark. | Cicindela campestris |
| | Brown, although under strong light a green hue is usually obvious. Elytra with 3 pale marks. Labial palps usually pale towards the base. | -4- |
-
- | | | |
|----|---|---------------------------|
| 4. | Median pale elytral mark characteristically angled. Elytra proportionally more dilated towards the apex. | Cicindela maritima |
| | Median pale elytral mark more regularly transverse. Elytra more regularly curved from the shoulder to the apex. | Cicindela hybrida |
-



All text on this site is licensed under a [Creative Commons Attribution 4.0 International License](#).
For information on image rights, click [HERE](#).